another innovation from



# **Rio<sup>®</sup> Cali** User's Guide

Table of Contents Getting Started Connections Software Setup Basic Operations Advanced Features Help Index

### **Package Contents**

- Earphones
- Installation CD
- Mini USB Cable
- Quick Start Poster
- Rio Cali
- Rio Cali Holster

### Copyright/Trademarks

© 2003 Digital Networks North America, Inc. All rights reserved.

Digital Networks North America, Inc. shall not be liable for any errors contained herein or for any damages arising out of or related to this document or the information contained herein, even if Digital Networks North America has been advised of the possibility of such damages. This document is intended for informational and instructional purposes only. Digital Networks North America, Inc. reserves the right to make changes in the specifications and other information contained in this document without prior notification. Digital Networks North America, Inc. disclaims any obligation to update the information contained herein. Rio<sup>®</sup> is a registered trademark of Digital Networks North America, Inc.

RealOne is a registered trademark of RealNetworks, Inc.

This product is iTunes ready. iTunes is provided by Apple Computer, Inc. Copyright © 2001 Apple Computer, Inc. All rights reserved. iTunes is a trademark of Apple Computer, Inc. Mac and the Mac logo are trademarks of Apple Computer, Inc. registered in the United States and other countries.

Microsoft, Windows Media and the Windows Logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries.

All other product names may be trademarks of the companies with which they are associated.











# **Table of Contents**

### 1 - Getting Started

Welcome	
Learning More	. 1
Tour of the Rio Cali	2
LCD Overview	4
Playback Mode	4
• Menu Mode	
• Date View	.(
Time Code View	
Track Format View	.(
Play Screens	(
• FM Radio	
Store Preset	
• FM Radio	
Manual	
• FM Radio	
• Preset	

### 2 - Connections

Basic Connections	8
• Battery	8
• Earphones	
• USB	
Additional Accessories	9

### 3 - Software Setup

Windows	
• Rio Music Manager	
RealOne Player	
Мас	
• iTunes	

#### 4 - Basic Operations

Basic Operations16
Сору17
• Copying Tracks with Rio Music Manager17
<b>Transfer</b>
• Rio Music Manager
• RealOne Player
• iTunes
<b>Control</b>
Play
Play Music23
• Play All
• Play Track
• Playlists
<b>Tuner</b>
• FM Control
• Manual
• Store Preset

• Preset	26
5 - Advanced Features	
Advanced Features	27
Stopwatch	
Settings	
Playback	
Equalizer	
• Custom	
• Normal	31
• Rock	32
• Jazz	32
Classical	
• Pop	
• Trance	34
Bookmarks	
Power	
Resume	
Display	
Time	
Language	40
Tuner	41
Lock Setup	42
About	43
6 - Help	

Troubleshooting	
Customer Service Information	44

Frequently Asked Questions	45
<b>Glossary of Digital Audio Term</b>	<b>IS</b> 48
• Bass	48
• Bitrate	48
• Codec	48
• Firmware	48
• Gain	48
• ID3 Tag	49
• MP3	49
• Rip and Encode	49
Synchronize	
• Treble	49
• VBR	49
• WMA	49
Limited Warranty and	
Limited Warranty and	
-	50
Software License	
• Warranty	50
Software License	50 50
<ul><li>Software License</li><li>Warranty</li><li>Warranty Service</li></ul>	50 50
Software License • Warranty • Warranty Service • Scope of and Limitation on Warranty FCC and	50 50 51
Software License • Warranty • Warranty Service • Scope of and Limitation on Warranty FCC and Industry Canada Compliance	50 50 51
Software License • Warranty • Warranty Service • Scope of and Limitation on Warranty FCC and	50 50 51 52 52
Software License • Warranty • Warranty Service • Scope of and Limitation on Warranty FCC and Industry Canada Compliance • Federal Communications Commission • Industry Canada	50 51 51 52 52 52
Software License • Warranty • Warranty Service • Scope of and Limitation on Warranty FCC and Industry Canada Compliance • Federal Communications Commission • Industry Canada Safety	50 51 51 52 52 52 52 53
Software License • Warranty • Warranty Service • Scope of and Limitation on Warranty FCC and Industry Canada Compliance • Federal Communications Commission • Industry Canada	50 51 51 52 52 52 53 53

iv

## Chapter 1

# **Getting Started**


### :: Welcome


Thank you for purchasing the Rio Cali. The Rio Cali is a portable digital audio player that provides many hours of MP3 and WMA playback. The Rio Cali features a lighted LCD, a memory expansion slot, stopwatch, and an FM radio tuner.

#### **Learning More**


- Refer to the Quick Start poster for the basics on how to set up and start using the Rio Cali.
- Visit the Rio website at www.rioaudio.com.

### :: Tour of the Rio Cali






Contents Index





Remove to access the battery compartment.


### :: LCD Overview



Menu Mode









## Chapter 2

### **:: Basic Connections**

This chapter describes how to connect the Rio Cali to Earphones, Mini USB cables, and alternate devices. Basic connections include:

#### **Battery**

The Rio Cali uses a single AAA-battery that can provide many hours of use. The battery compartment cover must be removed before a battery can be installed.

#### Earphones

Connect the supplied earphones to the **EARPHONES** port on the top of the player.

#### USB

The player must be connected using the included USB cable to the USB port on your computer to transfer music or files to and from the player and your computer.

#### **USB** Detection with the Windows Device Driver

USB connectivity is ready to work immediately after Rio Music Manager has been installed.

If for any reason the Windows Device Driver Wizard is displayed after the USB cable has been plugged into both the Rio Cali and the computer, please follow these steps:

- **1** Confirm the Rio installation CD is in the computer's CD-ROM drive.
- 2 Check the **CD-ROM Drives** box when the Windows Device Driver Wizard requests the location of the Rio Cali drivers.
- 3 Click Next and follow the Windows Device Driver Wizard instructions.











### **Additional Accessories**

Get the most out of your Rio with additional accessories available online at the Rio website. Some of the most popular accessories include the following:

#### • Rio Car Stereo Adapter

Upgrade your car stereo for hundreds of dollars less than buying a new MP3 CD player. The Rio car stereo adapter lets you play your favorite music in any vehicle equipped with a standard cassette deck.



### **Chapter 3**

# **Software Setup**

### **Software Setup**

Software found on the Rio installation disc must be installed on a computer before it will recognize the Rio Cali. Rio Music Manager must be installed on computers that use the Windows operating systems. iTunes must be installed on computers that use the Mac operating system.

Windows Mac

## :: Windows

Follow these instructions to load software that enables a computer to recognize the Rio Cali. The installation also loads Rio Music Manager.

**1** Place the installation CD label-side up into the computer's CD-ROM drive.

The Rio installation software launches automatically.

- 2 Click **Rio Music Manager INSTALL NOW** (required) and follow the on-screen instructions. Additionally, one may click **RealOne Player INSTALL NOW** and follow its installation instructions as well.
- **3** If prompted, reboot the computer when the installation is complete.



 If Rio installation software does not display automatically, follow these steps to begin the installation manually:

4 Double-click the My Computer icon, My Computer, on the Windows desktop.
5 Double-click the CD-ROM icon, Compact Disc (D:)
6 Double-click the Install icon, Install
7 Go to Step 2.

#### **Rio Music Manager**

Rio Music Manager is an all-in-one solution that can rip, encode, and manage entire collections of digital audio tracks. Rio Music Manager provides the following capabilities:

- Save (rip and encode) audio CDs into compressed digital audio formats. Rio Music Manager encodes WMA files by default and MP3 via an optional upgrade pack.
- Automatically synchronize the music collection on your computer with your Rio Cali.
- Edit ID3 and WMA tags on digital audio tracks.
- Organize and manage digital audio tracks on your computer and Rio Cali.
- Search for tracks on your computer and Rio Cali.
- Create custom playlists.
- Transfer tracks from your computer to Rio Cali.

🔿 Media Library	O Abuns ? Artists	🛊 Genres 🖌 Songs	Playlists Search						
Scanning, 100% complete.	Al Music								
My Computer	Title	Artist	Album	Track #	Genre	Year	Son	Media 1	YP.
P.0	(Keep Feeling) Fasch	Human League	Greatest Hits	2	New Wave		3,517 KB	MP3	
SAMSUNG CD-ROM	10.15 Saturday Night	The Cure	Boys Don't Cry	3		1979	3,441 KB	MP3	
0	a Men	Kitchens of Distinction	The Death of Cool	2			3,934 KB	MP3	
19 A.	A Longer Look	David 3	Songs From Another Se	3			3,517 KB	MP3	
	A Reflection	The Cure	Seventeen Seconds	1		1980	2,013 KB	MP3	
	Accuracy	The Cure	Boys Don't Cry	4		1979	2,159 KB	MP3	
	Ackzite	Dr. Dre	2001	20	Gangsta	2001	2,588 KB	MP3	
	After Ventus	Enya	Shepherd Moons	11	NUAGE	1991	3,875 KB	WMA	
	All Cats Are Grey	The Cure	Fath	4	ROCK	1981	5.0 MB	WMA	
	Angeles	Enya	Shepherd Moons	5	NUAGE	1991	3,793 KB	MMA	
	Another Day	The Cure	Boys Don't Cry	10		1979	3,487 KB	MP3	
	Arena	Colourbox	Colourbox	10			4.0 MB	MP3	
	Arena II	Colourbox	Colourbox	14			4.6 MB	MP3	
	Arise Above Oppression	FEAR FACTORY	Soul Of A New Machine	11		1992	1,746 KB	MP3	
	At Night	The Cure	Seventeen Seconds	9		1980	5.4 MB		
	Baby Luku	Stereolab	Sound-Dust	4	Britoso	2002	3.681 KB	MP3	
	Backwoods	Red Hot Chill Peoplers	What Hits	5		1992	2,901 KB	MP3	
	Bang Bang	Dr. Dre	2001	21	Gangsta	2001	2.616 KB	MP3	
	Bar One	Dr. Dre	2001	8	Gangsta	2001	603 KB	MP3	
	Basement	Puddle of Mudd	Come Clean	9	1.12	2001	6.0 MB	MP3	
	Behind the Sun	Red Hot Chill Peopers	What Hits	3		1992	5.3 MB	MP3	
	Being Boled	Human League	Greatest HRs	7	New Wave		3,450 KB	MP3	
	Big Equ's	Dr. Dre	2001	5	Ganosta	2001	2,801 KB	MP3	
	Big God / Raped Souls	FEAR FACTORY	Soul Of A New Machine	10		1992	2,475 KB	MP3	
	Bitch Nggaz	Dr. Dre	2001	13	Gangsta	2001	2,980 KB	MP3	
	Black Ants In Sound D	Stereolab	Sound-Dust	1	Britpop	2002	1,397 KB	MP3	
	Clue Heart	Peter Murphy	Should the World Fail to	7			4.1 MD	MP3	
	Tilue Pedal	Kitchens of Distinction	The Death of Cool	9			7.0 MB	MP3	
No track(x)	there a	Durbella of Mardel	Come Class	e		2001	7.0 MR	MD1	
Track 0 of 1		and the second sec	- 111 March 1970		-	0.000			
Track of or 1									

### **RealOne Player**

The RealOne player is included on the Rio installation CD and provides full speed CD ripping and encoding features perfect for the digital audio enthusiasts. Support for the RealOne player can be found here. RealOne offers the following features:

- Save (rip and encode) your audio CDs into compressed digital audio formats including MP3 and WMA.
- Organize digital audio tracks on your computer.
- Search for tracks on your computer or on the Internet.
- Create custom CDs.
- Transfer tracks from your computer to the Rio Cali.

Index by Finance         Index by Finance with a set of the biochocol         Stends         Oth And Lope         Antern Y         9         45         MP2           1: Coheren Vindel 1: C	Brakhage - Stereolab					(	ix) IIIp3 96Kbp	s 0:00 / 5:3	0 🚳
Bit Stands         Stands         Stands         Stands         Stands           All Media         All Media         All Media         Construction         Stands         Construction         Const									-
Bit Stands         Stands         Stands         Stands         Stands           All Media         All Media         All Media         Construction         Stands         Construction         Const	Plaulas V		u . 🚺 Atistikhum .	Carra v 🔊 Dim		lden #		(C) How T	. 0
All Modelity         Add Modelity<			A contraction of the contraction	Storage Strat					
Long: Carling         Defining         Add         Abor         Grave         Cold Table		All Media					Search Libra	ry:	6
Total by Float         W Total reg 01 The Ulcomoton         Stendal         Oth And Loga         Antern V         9         445         MP2           Calment Mustal         M Total reg 01 The Ulcomoton         Stendal         Dish And Loga         Antern V         445         MP2           Calment Mustal         M Total reg 01 The Ulcomoton         Stendal         Dish And Loga         Antern V         445         MP2           School Chernet         M Total reg 01 The Ulcomoton         Stendal         Dish And Loga         Antern V         445         MP2           School Chernet         M Total reg 01 The Ulcomoton         The Triange 0         Frage         Centre 1         447         MP2           Monor Chernet         M Total reg 01 The Triange         Every Brain Yino Tail         5         448         Wirdom Mit           Mit Color Chernet         M Total reg 01 The Triange         Every Brain Yino Tail         4         490         MP2           Mit Color Chernet         M Total reg 01 The Triange         Every Brain Yino Tail         4         450         MP2           Mit Color Chernet         M Total reg 01 The Triange         Every Brain Yino Tail         4         450         MP2           Mit Color Chernet         M Total reg 01 The Triange         Every Brain Yino Tail		Clo Name	Aria	Abun	Gerre	C0 Track #	Length	V Format	Qual
Charles Media         Bit Robe Convention         Samada         Unit Act Carpor         Addew/         6         446         MP3           Charles Media         Charles Media         Charles Media         Charles Media         6         447         MP3           FpSol Charles         M Teb Convention         The Dare Multiply Charles         Fab         6         448         MP3           FpSol Charles         M Teb Convention         The Dare Multiply Charles         Fab         6         448         MP3           FpL UP - Charles         M Das Stard Sci Charle TAM (N)         The Nace Charles         3         433         439         MP3           Sine Charles         M Exace Charles         M Exace Charles         5         443         MP3           Sine Charles         M Exace Charles         M Exace Charles         5         448         MP3           Sine Charles         M Exace Charles         Sine Charles         5         448         MP3           Sine Charles         M Exace Charles         Sine Charles         Sine Charles         4         450         MP3           Sine Charles         M Exace Charles         Sine Charles         Sine Charles         Sine Charles         4         500         MP3		Ticken Tage Of The Unconscious	Steverlah	Date And Loops		9			960.5
Chemer Weith         all Centres Beaugi Rismore weithight         Peter Morphy         Stock Frei With Frei Ling         1         4.47         MP2           Macher Centre         all Centres Beaugi Rismore weithight         The Disorger Mark         The Curre Frei Rishty         Stock Frei With Tall         1         4.49         Without Microsoft           Macher Centre         all Double Revision Frei Rishty         Stock Frei Without Stock         4.48         MP2           Macher Centre         all Double Revision Frei Rishty         Stock Frei Without Stock         4.48         MP2           Macher Centre         all Double Revision Frei Rishty         Stock Frei Without Stock         4.48         MP2           Macher Centre         all Double Revision Frei Rishty         Stock Frei Without Stock         4.48         MP2           Macher Centre         all Double Revision Frei Rishty         Stock Frei Without Stock         4.48         MP2           all Calculation         the Rishty Rishty         Double Rishty Rishty         Stock Frei Without Stock         4.48         MP2           all Calculation         the Rishty Rishty         Double Rishty Rishty Rishty         Stock Frei Rishty Rishty         4.44         4.49         MP2           Macher Centre         Stock Rishty Rishty         Double Rishty Rishty         Double Rishty Rish	Catherine Wheel								90Kb
Starge J, Marson F, All M, Marson F, All S, Charl T, Mark M, Sandar M, Marson F, All S, Charl T, Marson F, Marson			Datas Murchus			1	4.47	MP1	120K
Mande - Channel         all Don't Stard Sc Dure To M (19)         The Price         Even (Free HV) to Tai.         5         449         MP3           Mache - Channel         all Don't Stard Sc Dure To M (19)         The Price         Even (Free HV) to Tai.         3         450         MP3           Mache - Channel         all Scard R (14)         Macasego (A R) (14)         A         443         MP3           Mache - Channel         all Macasego (A R) (14)         The Price         Even (Free HV) to Tai.         3         450         MP3           Stard R (14)         Macasego (A R) (14)         The Price         Even (Free HV) to Tai.         455         MP3           Stard R (14)         Macasego (A R) (14)         Calabace         5         640         MP3           Stard R (14)         Macasego (Free A)         Rese (Vale MV)         Tai.         455         MP3           Stard R (14)         Macasego (Free A)         Rese (Vale MV)         Tai.         457         MP3           Stard R (14)         Macasego (Free A)         Rese (Vale MV)         Tai.         457         MP3           Stard R (14)         Macasego (Free A)         Rese (Vale MV)         Tai.         457         MP3           Stare (Free A)         Macasego (Free A)         R					ROCK	6			129K
Tarb Ub - China         all Scadatte Wold Falls Fall         Preter Marphy         Scadatte Wold Falls Fall         4         4.49         MP3           Manage In A. Stotik         The Noise         Preter Marphy         Scadatte Wold Falls         4         4.59         MP3           Manage In A. Stotik         The Noise         State Kall         3         4.59         MP3           Manage In A. Stotik         The Noise         State Kall         3         4.59         MP3           Manage In A. Stotik         The Noise         State Kall         3         4.59         MP3           Manage In A. Stotik         The Noise         State Kall         3         4.59         MP3           Manage In A. Stotik         Manage In A. Stotik         The Noise Call         3         4.59         MP3           Manage In A. Stotik         Manage In A. Stotik         Manage In A. Stotik         1         4.50         MP3           Manage In A. Stotik         Manage In A. Stotik         Manage In A. Stotik         1         4.50         MP3           Manage In A. Stotik         Manage In A. Stotik         Manage In A. Stotik         1.50         4.50         MP3           Manage In A. Stotik         Manage In A. Stotik         Callabatik         Stotik									128K
Abboin-Chart         abboin-Chart         The Floire         Even Thereflive The Thick         3         459         MP3           Non-Charter         abboin-Charter         The Floire         Eventship         455         MP3           Non-Charter         ab (Take You Charter (signal venice)         David J         Sing Floire Anderbrain         8         455         MP3           Non-Charter         ab (Take You Charter (signal venice)         David J         Sing Floire Anderbrain         8         455         MP3           L-Charter         ab (Take You Charter (signal venice)         David J         Sing Floire Anderbrain         11         457         MP3           L-Charter         ab (Lowin         The Floire         Even (breath You Tak         1         457         MP3           L-Charter         ab (Lowin         The Floire         Even (breath You Tak         1         457         MP3           Leise Tak Vindu,         ab (Value)         The Floire         Keige (breath You Tak         1         450         MP3           Leise Tak Vindu,         ab (Value)         The Floire         Keige (breath You Tak         1         50         MP3           Leise Tak Vindu,         ab (Value)         The Floire         Keige (breath You Tak         1						4			1296
Bit Control         With Press         Calebrain- tion - Calebrain- - Calebrain - Calebrain - Calebrain - Calebrain - Calebrain - Calebrain - Calebrain - Calebrain						-			120K
Link         Angle Losse         8         455         MP3           Link         Link         Mille Tran Charling (angle version)         David         Samp Frank Andread         8         455         MP3           Link         Link         Mille Tran Charling (angle version)         David         Link         455         MP3           Link         Mille Trank         The Take         Even Brait Nito Tak         11         4.57         MP3           Link         Mille Trank         The Take         Even Brait Nito Tak         11         4.57         MP3           Link         Mille Trank         The Take         Even Brait Nito Tak         4         501         MP3           Link         Mille Take         The Take         Even Brait Nito Tak         4         501         MP3           Link         Mille Take         The Take         Even Brait Nito Tak         4         501         MP3           Link         Mille Take         Caluedon         Caluedon         14         501         MP3           Link         Mille Take         Caluedon         Caluedon         14         501         MP3           Link         Mille Take         Mille Take         Even Brath Nito Take <td< td=""><td></td><td></td><td></td><td></td><td>Ambient /</td><td></td><td></td><td></td><td>900</td></td<>					Ambient /				900
III: Columbia         Will Lake         Human Langue         Ensetter Hits         Hite Writere         9         4.5         MP3           Toro Schulber         Will Lake         Human Langue         Ensetter Hits         Hite Writere         9         4.5         MP3           Toro Schulber         Will Lake         The Nace         Columbia         1         4.5         MP3           Toro Schulber         Will Lake         The Nace         Columbia         6         5.01         MP3           Toro Schulber         Will Lake         The Nace         Columbia         6         5.01         MP3           Toro Schulber         Will Lake         The Nace         Columbia         1         4.5         MP3           Toro Schulber         Will Lake         The Mace         Columbia         1.4         5.01         MP3           Toro Schulber         Will Lake         The Mace         Columbia         1.4         5.01         MP3           Toro Schulber         Will Lake         The Mace         Columbia         1.8         5.01         MP3           Toro Schulber         Will Columbia         Columbia         1.8         5.01         MP3           Toro Schulber         Will Columbia					Philipperio	3			1286
Columbia         a) (Log DPan         The Plate         Even Binsthift Via Tak         11         4.57         MP3           Fin Stram - Call         a) (Log DPan         The Plate         Even Binsthift Via Tak         13         6.01         MP3           Fin Stram - Call         a) (Log DPan         The Plate         Even Binsthift Via Tak         13         6.01         MP3           Fin Stram - Call         a) (Log DPan         The Plate         Even Binsthift Via Tak         4         5.01         MP3           Fin Stram - Call         a) (Log DPan         The Plate         Even Binsthift Via Tak         4         5.01         MP3           C. Coulder         a) Arema II         Columbox         Columbox         Columbox         14         5.01         MP3           Grave - Coulder         a) Arema II         Columbox         Columbox         Columbox         14         5.01         MP3           Grave - Coulder         a) Arema II         Columbox         Columbox         Columbox         Columbox         14         5.01         MP3           Grave - Coulder         All Arema III         Columbox         Columbox         Columbox         14         5.01         MP3           Grave - Coulder         All Arema IIII					Manufacture	0			1286
The Dugon, Caulty and Provide         The Object of Caulty and Provide					INDIV W. DVD				1286
Construction         We had yound         Prestrike CAR Pappers         Vine Hits         13         501         MP3           Link Statu Vindard         We king work         The Note         Calculate         4         501         MP3           C Calculate         Windard CB The Moon         The Place         Every Binst Work         4         501         MP3           C Calculate         Windard CB The Moon         The Place         Every Binst Work         5         504         MP3           C Calculate         Windard CB The Moon         The Place         Every Binst Work         3         504         MP3           Sector         Main         The Death Calculate         3         504         MP3           Sector         Add On To The Sector         The Death Calculate         3         504         MP3           Sector         Calculate         Sector         Main         5         512         MP3           View Death         Sector         Sector         Sector         8         5         512         MP3           View Death         Main         Sector         Sector         8         5         512         MP3           View Death         Maingend Assocre         Sector									1206
Same Star Markan         Wirklang Din Ter Moon         The Tables         Eveng Binath Yoa Tak.         4         501         MP3           Same Star Markan         Columbon         Columbon         Salanbon         14         502         MP3           In Columbon         Operating Star Star Markan         Columbon         Columbon         14         503         MP3           In Columbon         Min Farling Bioscharp Station         Ratherers 0 Starkstorm         14         501         MP3           Star Markan         Min Farling Bioscharp Station         Ratherers 0 Starkstorm         18         510         MP3           Starting Start         Ratherer Starter         Marker Starter         18         510         MP3           Start Start         Ministry Statishinker In the Start         Ratherer Starter         Marker Starter         18         18         193           Start Start         Ministry Statishinker In the Start         Starter Starter         Starter         18         193         193           Start Start         Ministry Statishing         Ratherer Starter         Starter         18         193         193         193         193         193         193         193         193         193         193         193         193									
Cricklandser Dir Collandser Nach General Nach G						13			1208
In Columbon         objection         Public of Mudd         Come Deam         5         504         MP3           mild of Coding Resolves Station         Relatives of Station Kin         The Deam of Coding         5         504         MP3           mild of Coding Resolves Station         Relatives of Station Kin         The Deam of Coding         5         504         MP3           mild of Toding Resolves Station         Relative Station         Relative Station         8         510         MP3           Multiple Station         Relative Station         Relative Station         Relative Station         8         510         MP3           Multiple Station         Relative Station         Relative Station         Station Station         8         510         MP3           Multiple Station         Relative Station         Station Station         Station Station         8         500         511         MP3           Multiple Station         Relative Station         The Tables         Event Station         8         511         MP3           Multiple Station         Relative Station         Station Station         511         MP3           Multiple Station         Relative Station         Station Station         511         MP3           Multiple Station <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Spar-Claubia         Bip Dury         Public in Water         Spart         Product in Water           Spart-Claubia         Bip Dury         Public in Water         Spart         Public in Water           Spart-Claubia         Bip Dury         Public in Water         Spart         Public in Water           Spart-Claubia         Bip Dury         Public in Water         Spart         Public in Water           Spart-Claubia         Bip Dury         Spart         Spart         Spart           Spart         Bip Dury         Spart         Spart         Spart         Spart           Spart         Bip Dury         Spart         Spart         Spart         Spart         Spart           Spart         Bip Dury         Spart         Spart         Spart         Spart         Spart         Spart         Spa									129K
Birl Count         all Jahrey Kita whites in the Site         Restified DRepairs         Viter Him         18         510         MPD           Vita Minori Barrico, Monis Barriso, Monis Barriso, Monis Barrico, Monis Barrico, Monis Barriso, Monistrato, Monistrato, Monis Barriso, Monistre, Monis Marriso, Moni						5			192K
Month Ban-L         all (LM for Gul         Catherin Wheel         Hogp Dgn         14         510         MP2           Kell Anard TL         all (LM for Gul         Catherin Wheel         Hogp Dgn         14         510         MP2           Kell Anard TL         all The Block And         Stendah         Scard-Dut         Built Tipe         511         MP2           Kell March         all Barly Luk         Stendah         Scard-Dut         Built Tipe         511         MP2           Lin The Block And         Stendah         Scard-Dut         Built Tipe         51         MP2           Lin The Block         Wheen Inferen         Kichen Inferen         Kichen Inferen         51         MP2           Ster Dintrid         Blog Dispondi         Stenedah         Came Chan         4         51         MP2           Ster Dintrid         Blog Dispondi         Ferendah         Cam Chan         4         52         MP3           Witz Duttlinu         All Can Lin Chan         Fulder MMd2         Cam Chan         4         52         MP3           Ster Dintrid         All Can Lin Chan         Fulder MMd2         Cam Chan         4         52         MP3           Vitran Lin Chan         Bin Mang         Stendah <td></td> <td></td> <td></td> <td></td> <td></td> <td>3</td> <td></td> <td></td> <td>128K</td>						3			128K
Vide Ansatz         Vide Ansatz         Samedia         Samedia <thsamedia< th="">         Samedia</thsamedia<>									120K
Grap Mail Region         all Dary Luis         Samedan         ScoreDot         Bit Trag         4         513         HP3           In The Dame         all Dary Luis         Samedan         ScoreDot         Bit Trag         1									120K
opticubit         opticubit <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>96KE</td></t<>									96KE
In the former         ••••••••••••••••••••••••••••••••••••					Brit Pop				96Kb
Yaru Dawing         of/ Bigs Dendu         Diggranit         Stereside         Dist And Loops         Anibert /         4         515         MP3           Bigs Dendu         at Nodog 104 Me         Pudde / Mudde / Come Dian         4         521         MP3           Bigs Dendu         at Nodog 104 Me         Pudde / Mudde / Come Dian         4         521         MP3           Bigs Dendu         at Come Toan         4         521         MP3           Moreard and M.         bigs Dendu         The Come Toan         526         Verdown Me           No Unit ID         at State Only         The Come Toan         530         MP3           At Dian Dendu         At Dian Dendu         State Only         The Come Toan         530         MP3									129K
Ster-Denid J         all Notion fract Me         Public of Madd         Come Down         4         5/21         MP3           Viroaux as AL, In Start AL, In Star						6			120K
ellign-Danid J Al Casin Feinger The Case Path RDCK 3 526 Window Me Woman is n.A. 4 Casin Feinger The Case Path RDCK 3 526 Window Me be Outside (D. 1 4 Casin Feinger Stereolab Data And Loops Ambien 1 5:30 MP3 1 A Crasin Fein/Dari Stereolab Case And Case And Case Ambient 1 5:30 MP3 1 A Crasin Fein/Dari Stereolab Case And Case Ambient 1 5:30 MP3 1 A Crasin Fein/Dari Stereolab Case And Case Ambient 1 5:30 MP3 1 A Crasin Fein/Dari Stereolab Case Ambient 1 1 Ca					Ambient/	4			96K2
Wonshi an At. Ad Lots Are brievy The Lue Path HOLK 3 52.5 Windows Ne be Outside (DL) Brakhage Stereolab Dots And Loops Ambien 1 5:30 MP3 1 Charles Fair Control Standblock Standblock Bit Pro. 3 57.3 MP3 1						4			192K
And Dublics [D] And Brakhage Stereolab Dots And Loops Ambien 1 5:30 MP3 1		All Cats Are Grey	The Cure	Faith	ROCK.	3	5:26	Windows Me	129K
The Provide Steenah Structure Bit Prov. 3 5:33 MP3		🚽 Brakhage	Stereolab	Dots And Loops	Ambien	1	5:30	MP3	96K)
2M	N 1 4 4 1 1	A Cantain Fass/Chord	Steenlah	SnundDuit	Rit Pon	3	5:33	MP3	9900
😫 📑 + Edk + 🔄 🛅 New FlayIst 🎻 Burn CD 🌯 Capy To + 206 Clips 14.09.19									78

### :: Mac

Follow these instructions to load the software that enables your Macintosh to recognize the Rio Cali. The installation also loads iTunes music management software.

**1** Place the software CD label-side up into the computer's CD-ROM drive.

Double-click the Rio icon,

, on your computer's desktop.



2 Double-click the Install OSX icon, Install\_OSX

The Rio Software Screen will display.

- 3 Click Install.
- **4** Follow the on-screen instructions to install the software.
- **5** If prompted, reboot the computer when the installation is complete.



• *Rio installation software only supports the OSX operating system.* 

### iTunes

Apple's iTunes is standard software included with every new Mac. Upgrading from older versions of iTunes to the most current version of iTunes is absolutely free. iTunes is available online. Support for iTunes can be found here. iTunes offers the following features:

- Save (rip and encode) your audio CDs into compressed digital formats including MP3s.
- Organize digital audio tracks on your computer.
- Search for tracks on your computer.
- Create custom CDs.

+		-		SI	earch	Brow
Source	Song Name	Time	Artist	Album	Size	Date Mo
Library	Revolverlution	3:01		Revolverlution	4.2 MB	7/9/03
Radio	Alright Alright	2:09	Sahara Hotnights	lennie Bomb	2 MB	7/9/03
Music Store	San Antonio, TX		Frank Black And Th	Devil's Workshop		7/9/03
Rio Player	Ear Ring	3:43	Rainer Maria	Long Knives Drawn		7/9/03
60's Music	Kicking The Lights	3:39	Girls Against Boys	You Can't Fight Wh		7/9/03
	Cliffnotes Of My Life		Arewa	SLAMJamz Records	5.3 MB	7/9/03
	Calimoxcho	2:32	Chris Brokaw	Red Cities	2.4 MB	7/9/03
Recently Played	I Shine Through	4:59	Soul Project	SLAMJamz Records		7/9/03
🙀 Top 25 Most Played	Enemies' Deceit	4:26	ENX	SLAMJamz Records	6.2 MB	7/9/03
	Explain It	3:39	Kariymah	SLAMJamz Records	5.1 MB	7/9/03
	Leave With Your Own Mind	3:20	Fine Arts Militia	SLAMJamz Records	4.6 MB	7/9/03
	Play Around	5:33	Augean Stables	Notes From Above	7.7 MB	7/9/03
	Almost Famous	3:31	Kendo The Almost	SLAMJamz Records	4.9 MB	7/9/03
r	Citronella	4:01	Augean Stables	Notes From Above	5.6 MB	7/9/03
	Here I Dreamt I Was An Archite	4:29	The Decemberists	Castaways And Cut	4.2 MB	7/9/03
	(					) 4 )
	lised: 7	5.3 MB	_	Free: 179.8 MB		

### **Chapter 4**

# **Basic Operations**

### **::** Basic Operations

Enjoying music on the Rio Cali is easy. Basic operations of the Rio Cali include:

Copy Transfer Control Play

# :: Сору

#### **Copying Tracks with Rio Music Manager**

Copying tracks from Audio CDs involves two steps commonly known as ripping and encoding. Ripping and encoding refers to the process of ripping (copying) audio from a CD and encoding (saving) the audio content into a compressed digital audio format like MP3 or WMA.

- **1** Launch the Rio Music Manager.
- **2** Insert an Audio CD into your CD-ROM drive.
- **3** Click the CD-ROM icon on the Rio Music Manager Device List.
- **4** Use any of the following techniques to select tracks:

Track Type	Technique
Single track.	• Left-click the track.
Multiple tracks.	• Press SHIFT+Click or CTRL+Click.
All tracks.	• Press <b>CTRL+A</b> .
No tracks.	• Press CTRL+N.
Every track except for the currently selected tracks.	Select Edit, Invert Selection.



to begin copying tracks to your computer.

### :: Transfer

#### **Rio Music Manager**

Transferring tracks from the PC to the Rio Cali with the Rio Music Manager involves selecting tracks, then transferring them onto the player.

- **1** Launch the Rio Music Manager.
- 2 Click **My Music** in the left frame to access tracks. Rio Music Manager will scan the computer's hard drives for digital audio files that are compatible with the Rio Cali player. Files are automatically categorized by album title and displayed in the Track List.
- **3** Select tracks within a category of tracks. Categories include Albums, Artists, Genres, Songs, and Playlists.

For example, if you wish to copy all tracks from a favorite artist onto the player, click the Artists tab and then use any of the techniques in **Step 4** to select the desired tracks.

**4** Use any of the following techniques to select files:

File type	Technique
Single track, album, or artist.	<ul> <li>Left-click the track, album, or artist.</li> </ul>
Multiple tracks, albums, and/or artists.	• Press SHIFT+Click or CTRL+Click.
All tracks, albums, and artists.	• Press <b>CTRL+A</b> .
No tracks, albums, or artists.	• Press <b>CTRL+N</b> .
Every track except for the currently selected tracks.	• Select Edit, Invert Selection.

5 After the tracks have been selected they can be copied to the Rio Cali by clicking



N

Contents Index

### **RealOne Player**

- 1 Launch RealOne Player.
- **2** Connect the player to a computer using the USB cable.
- **3** Power the Rio Cali on.
- 4 Click **DEVICES** at the bottom of the RealOne Player window.

The Devices window is displayed.

- 5 Double-click Rio Cali.
- 6 Click **ADD CLIPS** in the command bar at the bottom of the RealOne Player window.

The Add Clips window is displayed.



- Tracks can be added from **My Library** by selecting tracks to be transferred and clicking **COPY TO** on the **My Library** command bar.
- 7 Select the tracks to be transferred to the Rio Cali. Click **Add Clip** to queue the tracks to be transferred and close the Add Clips window.
- 8 Click **TRANSFER** in the command bar at the bottom of the window to begin transferring the selected tracks to the Rio Cali. Tracks labeled **Will Not Fit** will not be transferred. **Will Not Fit** status indicates that the total size of the tracks being transferred to the Rio Cali exceeds the available memory.



• Only MP3 and WMA files can be transferred. An error message will be displayed if unsupported files are transferred unsuccessfully to the player.

### iTunes

- **1** Launch iTunes.
- **2** Connect the player to a USB port on the computer.
- **3** Power the Rio Cali on.
- **4** Click **Library** in the iTunes Source frame.
- **5** Select tracks to transfer.
- 6 Drag and drop selected tracks to the **Rio Cali Player** in the iTunes Source frame.



• *iTunes will only refresh the audio contents located on the Rio Cali Player after all selected tracks have been transferred.* 

## :: Control

The controls on the Rio Cali work as follows:

• POWER

Press to turn the player on. Press and hold to turn the player off.

• MENU

Press to enter Menu mode. In Menu mode, press to return to Playback mode.

• **RIOSTICK** (Press)

In Playback mode, press to cycle through Play Screens. In Menu mode, press to select menu options.

- RIOSTICK (Movement) Move to control menu navigation. In Playback mode, move to control PLAY/ PAUSE, STOP, FORWARD, and REVERSE playback functions.
- **PLAY/PAUSE** Select with the RioStick to play or pause playback.
- FORWARD and REVERSE

Select with the RioStick to skip to the next or previous track. Select and hold to scan forward or reverse through a track.

• STOP

Select with the RioStick to stop playback.

- VOLUME + and -Press to adjust volume level.
- LOCK/UNLOCK

Slide into the **LOCK** position to disable buttons and prevent accidental operation.



**Controls** Locations of all controls can be found on page 2 and 3.

## :: Play

The Rio Cali plays digital audio tracks in Playback mode and FM radio in Tuner mode. Modes can be changed at anytime through the main menu.

(Nein Menu
Play Music
Tuner
(Stopwatch
🖕 (Settings

Play Music Tuner

# :: Play Music

In Playback mode (the default mode), any track or preset customized playlist can be played within a matter of seconds.



Play All Play Track Playlists



• If the Rio Cali does not power on after **POWER** has been pressed, check the **LOCK/UNLOCK** switch and confirm it is in the **UNLOCK** position.

### Play All

Follow these steps to play all tracks on the Rio Cali:

- 1 Press MENU.
- 2 Select Play Music.
- 3 Press RIOSTICK.
- 4 Select Play All.
- 5 Press **RIOSTICK** to begin playback.

### **Play Track**

Follow these steps to play a specific track on the Rio Cali:

- 1 Press MENU.
- 2 Select Play Music.
- 3 Press **RIOSTICK**.
- 4 Select Play Track.
- 5 Press RIOSTICK.
- 6 Select a track to play.
- 7 Press **RIOSTICK** to begin playback.

### Playlists

Follow these steps to play a specific playlist on the Rio Cali:

- 1 Press MENU.
- 2 Select Play Music.
- 3 Press RIOSTICK.
- 4 Select Playlists.
- 5 Press RIOSTICK.
- **6** Select a playlist to play.
- 7 Press **RIOSTICK** to begin playback.

# :: Tuner

To access Tuner mode:

- 1 Press MENU.
- 2 Select Tuner.
- 3 Press **RIOSTICK**.

FM Control Manual Preset Store Preset

### **FM Control**

When in Tuner mode, the following controls function differently:

- **RIOSTICK** (Press) Press to enter Preset mode. Press and hold to enter Store Preset mode.
- **RIOSTICK** (Movement) Move to control **PLAY/PAUSE**, **STOP**, **FORWARD**, and **REVERSE** functions.
- PLAY/PAUSE

In Manual mode, select with the RioStick to mute the FM radio.

• FORWARD and REVERSE

In Manual mode, select with the RioStick to tune up or down the frequency range. In Manual mode, select and hold to search up or down the frequency range for particularly strong signals.

• STOP


Select and hold to turn off the Manual mode strong signal search. When turned off, **no search** is displayed and selecting and holding **FORWARD** or **REVERSE** will scan up or down the frequency range manually.



**Controls** Locations of all controls can be found on page 2 and 3.

### Manual

Follow these steps to enter the manual Tuner mode:



Press **MENU**. Select **Tuner**. Press **RIOSTICK**.

#### **Store Preset**

The Rio Cali allows programming of up to 8 FM preset slots.



- When in Manual mode, tune to a frequency you wish to store to a preset slot.
   Press and hold **RIOSTICK** to enter **Store Preset** mode.
  - Select **FORWARD** or **REVERSE** with the RioStick to cycle to the desired preset station slot.
- **4** Press **RIOSTICK** to store the frequency to the selected FM preset slot.

After a frequency has been stored to a slot the player will enter Preset mode.

### Preset

FM preset slots can be accessed within seconds using Preset mode.




- **1** When in Manual mode, press **RIOSTICK** to enter Preset mode.
  - Select **FORWARD** or **REVERSE** with the RioStick to cycle to the desired preset station slot.
  - Press **RIOSTICK** to select a preset station and return to Manual mode.

# **Advanced Features**

### :: Advanced Features

Advanced features of the Rio Cali include:



Stopwatch Settings About

## :: Stopwatch

Use the stopwatch to keep track of time-sensitive events while listening to music.

- 1 Press MENU.
- 2 Select Stopwatch.
- 3 Press RIOSTICK.

Lap statistics are displayed at the bottom of the **Stopwatch** screen. When a new lap is set, the difference, either faster (-) or slower (+) between new lap times and the average laptime is displayed for a few moments.

When in **Stopwatch** mode, the controls work in the following ways:

• MENU

Press to return to the Main Menu.




- Pressing **MENU** and using other player functions will not turn the timer off. The timer will continue to run until the RioStick is moved into the Up position (**PLAY/PAUSE**) while in **Stopwatch** mode.
- **RIOSTICK** (Press)

Press to set a lap time. Press and hold to return to single lap display. Multiple laps and lap averages will be lost.


• **RIOSTICK** (Up)

Press to start and stop the timer.

• **RIOSTICK** (Down) Press to reset timer.



Average Lap Time





# :: Settings

Rio Cali settings include:

(Settings
Playback
(Equalizer
Bookmarks
🚽 (Power

Playback Equalizer Bookmarks Power Resume Display


Time Language

Tuner

Lock Setup

# :: Playback

Various playback settings can be set to modify the way the Rio Cali plays tracks. Tracks can be shuffled at random and/or repeated continuously.



Plackback options include:

• Shuffle

Set selected tracks to play in standard or random order. Settings include **Off** (the default setting) and **On**.

• Repeat

Set selected tracks to repeat playback of all tracks or the current track. Settings include **Off** (the default setting), **All**, and **One**.

# :: Equalizer

The sound of tracks played on the Rio can be adjusted using various preset and fully customizable equalizer options. Equalizer settings include:

### Custom

Custom mode allows the player's settings to be adjusted according to personal preferences.

- 1 Press MENU.
- 2 Select Settings.
- 3 Press RIOSTICK.
- 4 Select Equalizer.
- 5 Press **RIOSTICK**.
- 6 Select Custom.
- 7 Adjust 5-band equalizer. Press **FORWARD** or **REVERSE** to navigate between frequencies. Press **PLAY/PAUSE** or **STOP** to boost or cut the gain of the frequency.
- 8 Press **RIOSTICK** to return to Player mode.

### Normal

Select the **Normal** equalizer option to apply no equalizer adjustments to audio content on the Rio Cali.

- 1 Press MENU.
- 2 Select Settings.
- 3 Press RIOSTICK
- 4 Select Equalizer.
- 5 Press RIOSTICK.
- 6 Select Normal.
- 7 Press **RIOSTICK** to set the **Normal** equalizer option and return to Player mode.

### Rock

Select the **Rock** equalizer option to change the sound of tracks according to the **Rock** preset settings.

- 1 Press MENU.
- 2 Select **Settings**.
- 3 Press RIOSTICK
- 4 Select Equalizer.
- 5 Press **RIOSTICK**.
- 6 Select Rock.
- **7** Press **RIOSTICK** to set the **Rock** equalizer option and return to Player mode.

### Jazz

Select the **Jazz** equalizer option to change the sound of tracks according to the **Jazz** preset settings.

- 1 Press MENU.
- 2 Select **Settings**.
- 3 Press RIOSTICK
- 4 Select Equalizer.
- 5 Press **RIOSTICK**.
- 6 Select Jazz.
- 7 Press **RIOSTICK** to set the **Jazz** equalizer option and return to Player mode.

## Classical

Select the **Classical** equalizer option to change the sound of tracks according to the **Classical** preset settings.

- 1 Press MENU.
- 2 Select Settings.
- 3 Press RIOSTICK
- 4 Select Equalizer.
- 5 Press **RIOSTICK**.
- 6 Select Classical.
- **7** Press **RIOSTICK** to set the **Classical** equalizer option and return to Player mode.

## Рор

Select the **Pop** equalizer option to change the sound of tracks according to the **Pop** preset settings.

- 1 Press MENU.
- 2 Select Settings.
- 3 Press RIOSTICK
- 4 Select Equalizer.
- 5 Press **RIOSTICK**.
- 6 Select Pop.
- 7 Press **RIOSTICK** to set the **Pop** equalizer option and return to Player mode.


### Trance

Select the **Trance** equalizer option to change the sound of tracks according to the **Trance** preset settings.

- 1 Press MENU.
- 2 Select Settings.
- 3 Press **RIOSTICK**
- 4 Select Equalizer.
- 5 Press **RIOSTICK**.
- 6 Select Trance.
- **7** Press **RIOSTICK** to set the **Trance** equalizer option and return to Player mode.

# :: Bookmarks

Perfect for multiple users who use the same Rio Cali, bookmarks store specific player settings, including the current running order, the current track, the current time position of the track, the repeat setting, and the shuffle setting. Users can save these settings in a bookmark and restore them whenever they use the player.



Bookmark options include:

• Select

Use **RIOSTICK** to select a bookmark. Press **RIOSTICK** to restore the selected bookmark settings.

• Set

Press **RIOSTICK** to set a bookmark.

• Delete

Use **RIOSTICK** to select a bookmark. Press **RIOSTICK** to delete the selected bookmark.



<u>Rio Cali</u>

• The Rio Cali automatically saves user settings when it is turned off. These settings are automatically restored when the Rio Cali is turned on. Settings saved automatically are not saved as a bookmarks.

## :: Power

By adjusting the **Power** settings the Rio Cali can conserve energy and extend the amount of playback time during each battery charge.



**Power** options include:

#### • Battery

Although the Rio Cali ships with an Alkaline battery, it can also use rechargeable Nickel-Metal Hydride (NiMH) batteries. The **Battery** option must be set to the same battery type that is being used or the battery indicator will not display the correct amount of battery life. Settings include **Alkaline** (the default setting) and **NiMH**.

#### • Pwr Save

Set the player to enter standby mode after being idle for a specific number of minutes. Settings include **1m**, **5m** (the default setting), **10m**, **30m**, and **Never**.

## :: Resume

Use the options in the **Resume** menu to set the track that the player will play whenever the player restarts.

Resume	<ol> <li>Press MENU.</li> <li>Select Settings.</li> </ol>
Track Current	3 Press RIOSTICK.
Timecode <u>Start</u>	<ul> <li>6 Select Resume options.</li> <li>7 Press RIOSTICK to apply settings and return to Player mode.</li> </ul>

**Resume** options include:

• Track

Set the player to begin playback of the last track played before shutdown or the first track in the running order when the player restarts. Settings include **Current** (the default setting) and **First**.

#### • Timecode

Set the player to begin playback of the last track played at the point the track was at during shutdown or at the start of the track. Settings include **Current** (the default setting) and **Start**.

# :: Display

Use the **Display** menu to adjust backlight and contrast settings.



- 1 Press MENU.
  - Select Settings.
  - Press **RIOSTICK**.
  - Select **Display**.
- 5 Press **RIOSTICK**.
- 6 Adjust **Backlight** options and **Contrast** settings.
  - Press **RIOSTICK** to apply settings and return to Player mode.

#### • Backlight

Set the backlight on the player to shut itself off after a specific number of seconds. Settings include **Off**, **2s**, **5s**, (the default setting) **10s**, **20s**, and **On**. **On** sets the backlight to remain lit constantly.

• To conserve battery life, the **On** setting should rarely be used.

#### Contrast

Move **RIOSTICK** to control the contrast slider. Use the contrast slider to set how light or dark the images on the LCD will appear. Setting the contrast too high will result in washed out images. Setting the contrast too dark will result in images that are too dark to read.

# :: Time

Use the options in the **Time** menu to set the player's internal clock.

Time	1
Set Time	2 3
(Set Date	4 5
(Time/Date Mode	6
	7

- Press **MENU**.
- Select Settings.
- Press RIOSTICK.
- Select **Time**.
- Press RIOSTICK.
- Select Set Time, Set Date, or Time/Date Mode options.
- Press **RIOSTICK** to apply settings and return to Player mode.

**Time** settings include:

• Set Time

Options include Hour, Minute, and AM / PM.

• Set Date

Options include Month, Day, and Year.

• Time/Date Mode

Options include **12 hour** (the default setting) and **24-hour** time formats and **USA** (the default setting), **Europe**, and **Japan** date formats.

# :: Language

The Rio Cali menus can be set to display one in of six languages.



- Press **MENU**.
- Select Settings.
- Press RIOSTICK.
- 4 Select Language.
  - Press RIOSTICK.
- 6 Select a Language setting.
  - Press RIOSTICK.

Language settings include:

- **English** (the default setting) Set the player display language to **English**.
- 日本言語 Set the player display language to **Japanese**.
- **Deutsch** Set the player display language to **German**.
- Français Set the player display language to French.
- **Español** Set the player display language to **Spanish**.
- Italiano

Set the player display language to **Italian**.

# :: Tuner

Use the options in the **Tuner** menu to set the player's FM radio settings.



- Press **MENU**.
- Select Settings.
- Press RIOSTICK.
- Select **Tuner**.
- 5 Press RIOSTICK.
  - Select FM Stereo Mode and Region options.
- 7 Press RIOSTICK.

Tuner Options include:

#### • FM Stereo Mode

Options include **On** (the default setting), and **Off**. Selecting **Off** will place the tuner in mono mode.

#### Region

Options include **USA** (tunes by .2MHz, the default setting), and **Europe** (tunes by .05MHz).

# :: Lock Setup

Use the options in the **Lock Setup** menu to enable volume and RioStick control when the lock is enabled.

K	(Lock Setup		Press MENU.
	Lock Volume On	234567	Select Settings. Press RIOSTICK. Select Lock Setup. Press RIOSTICK. Select Lock Volume and RioStick options.
		/	Press <b>RIOSTICK</b> to apply settings and return to Player mode.

**Lock Setup** settings include:

Lock Volume

Options include **On** (the default setting) and **Off**. When set to **Off**, the volume level can be adjusted even when the Rio Cali has been locked.

RioStick

Options include **Lock** and  $\rightarrow$  / II. When set to  $\rightarrow$  / II, any RioStick movement will be interpreted as the  $\rightarrow$  / II control.

# :: About

The about screen displays information about the Rio Cali. Information includes the total amount of space on the disk, the amount of free space, the number of tracks on the player, and the firmware version.



Press MENU.
 Select About.
 Press RIOSTICK.
 Select Player or Storage.
 Press RIOSTICK.

About options include:

• Player

Displays firmware version, copyright, and Rio website information.

• Storage

Displays disk usage graphic bar, disk usage (MB used/MB capacity), and the total number of tracks.

# :: Troubleshooting

### **Customer Service Information**

The FAQs below will help you solve common issues with your player. If you do not find the answers you need here, you can contact our Customer Service Department via any of the following methods:

Web: www.rioaudio.com/support Technical Support Telephone: (206) 515-1400 Customer Support Telephone: (800) 468-5846

#### With every Rio product you receive the following support services:

- Unlimited access to the Rio web-based technical information resources, available 24 hours a day every day at http://www.rioaudio.com/support. Here you will find FAQ files, product updates, and other useful information.
- Unlimited e-mail support for the duration of your Rio product hardware warranty period.
- Access to the latest software updates and enhancements for Rio products via our website.

## **Frequently Asked Questions**

Question	Answer
What size and type of external memory cards can my Rio Cali use?	• The Rio Cali currently supports SD and MMC memory sizes of 8MB - 512MB. Please visit the Rio support site at www.rioaudio.com/support for more informa- tion on external memory cards.
How do I install an exter- nal memory card?	<ol> <li>Turn the Rio Cali off.</li> <li>Remove the battery compartment cover on the back of the player.</li> <li>Remove the battery.</li> <li>Gently insert the external memory card with the label side up and the notch in the upper right corner into the memory card slot next to the battery compartment.</li> <li>Replace the battery.</li> <li>Replace the battery compartment cover.</li> <li>Turn the Rio Cali on.</li> </ol>
What type of files can I play with the Rio Cali?	• You can play MP3 and WMA files.
Can I add MP3 and WMA files to the player at the same time?	• Yes. You can play MP3 and WMA audio content. They can be mixed together.
What are the differences between MP3 and WMA files?	• WMA files are generally half as large as comparable sounding MP3 files. Because WMA uses smaller file sizes, you can store more music in less space on CDs, hard drives, or the Rio Cali. The WMA format is exclusive to Windows-based computers.
Will the Rio Cali play Vari- able Bitrate (VBR) files?	<ul> <li>Yes. Because there are many standards for VBR files, it cannot be guaranteed that every encoding software package will properly function with the Rio Cali. VBR files that do not comply to standards may lack track time, fast forward, and/ or rewind capabilities.</li> </ul>

What kind of batteries can I use with the Rio Cali?	• The Rio Cali can use either alkaline or Nickel-Metal Hydride (NiMH) batteries.					
Where is the battery indi- cator on my Rio Cali?	• The battery indicator on the Rio Cali is located in the top-right corner of the dis- play. The segments in the battery icon show the remaining battery power. The illumination of all segments indicates a fully charged battery. Non-illuminated segments indicate a run down battery. The battery indicator blinks when less than 20% of the charge on the battery remains.					
What kind of skip protec- tion does the Rio Cali have?	<ul> <li>Because the Rio Cali uses no moving parts it will never skip or stutter during audio playback.</li> </ul>					
Why will the Rio Cali not turn on?	• The Rio Cali will not power on if <b>LOCK/UNLOCK</b> is in the lock position. Confirm the <b>LOCK/UNLOCK</b> switch on the Rio Cali is not in the lock position and press <b>POWER</b> to turn the Rio Cali on.					
How much music can I store on the Rio Cali?	• The amount of music that can be stored on the Rio Cali depends on the bitrate of the files stored.					
	Bitrate	Approximate amount of space required per minute of audio content				
	64 kbps 96 kbps 128 kbps 164 kbps 192 kbps	0.5 MB 0.75 MB 1 MB 1.25 MB 1.75 MB				

<ul> <li>Can I update the firmware for your Rio can be downloaded online.</li> <li>Yes. If available, firmware for your Rio can be downloaded online.</li> <li>Note: Quit all applications before running the firmware update. While run firmware update, do not close the program, turn off the player, or unplug cable.</li> </ul>	unio a tha
<b>Note:</b> Quit all applications before running the firmware update. While run firmware update, do not close the program, turn off the player, or unplug	م ماط به من ا
	the USB
<ul> <li>Downloading the update</li> <li>1 Click on the following link: Firmware Upgrade.</li> <li>2 Click on the link to the Rio Cali.</li> <li>3 Locate UPDATES and click Firmware. Select and download the latest software. Download the software that is to the operating system you use on your PC:</li> </ul>	s specific
*.exe (Windows) *.hqx (Mac) *.zip (Windows; must use WinZip to open) *.txt (All operating systems—a text file including update information a instructions.)	nd
<ul> <li>Installing the update (PC)</li> <li>1 Connect the player to your computer with the USB cable.</li> <li>2 Turn the player on.</li> </ul>	
Waiting will display on the player screen.	
<b>3</b> Double-click the file that you downloaded from the Rio website. The update should take approximately 30 seconds to load.	
<ul> <li>Installing the update (Mac)</li> <li>1 Connect the player to your computer with the USB cable.</li> <li>2 Turn the player on.</li> <li>3 Double-click the iTunes icon.</li> <li>4 Select the Rio player icon.</li> <li>5 Click Options on the iTunes window. The Rio Settings window is displated the Click Upgrade Firmware on the Rio Settings window.</li> <li>7 Select the firmware update you downloaded from the website.</li> <li>8 Click Open.</li> </ul>	yed

# :: Glossary of Digital Audio Terms

### Bass

Bass is the particular low-range area of the sound spectrum where low musical notes and sounds are located. Increasing the bass value will make the low vocals and drums more prominent in your music. You can select the amount of bass in your music by selecting various Equalizer options.

### Bitrate

Bitrate denotes the number of bits per second used by a digital music file. The size and quality of a compressed digital audio file is determined by the bitrate used when encoding the file. Generally, the higher the bitrate used, the higher the sound quality, and the larger the file size. For example, a bitrate of 96kbps (96,000 bits per second) is generally thought of as "CD quality" for WMA audio files, and takes up about 0.75 megabytes (MB) per minute of music. At a 64kbps bitrate, the sound quality of WMA is similar to that of an FM radio signal, but approximately two minutes of music will fit in 1MB of space.

### Codec

Depending on the context and kind of technology involved, codec can be defined as a compressed digital audio file format (like MP3, WMA, etc.), a "coding/decoding" chip used to translate between digital and analog transmissions (used in modems), or a compression/decompression algorithm. Codecs compress audio data into a file, often for efficient transmission over a network, and then decode it for playback. While all the codecs perform similar compression of digital audio, there are differences in the technology. The Rio Cali supports the following digital audio codecs:

- MP3
- WMA

### Firmware

Firmware is the read-only software that is installed on the player. Like software it can be updated, but unlike software it can never be deleted from the player.

## Gain

Gain is a measurement of the amplitude of all frequency ranges. Gain adjustments boost or reduce frequencies to provide a more desirable audio output.

## ID3 Tag

The ID3 tag is the part of the encoded MP3 or WMA file that contains information about the digital music file such as song title, artist, album title, encoding bitrate, track time duration, and so on. ID3 tag information is displayed on the Album/Artist/Track title line on the player's LCD.

### MP3

MP3 is short for Moving Pictures Experts Group Audio Layer 3. MP3 is the most well known compressed digital audio file format. This format allows for near "CD quality" sound, but at a fraction of the size of normal audio files. MP3 conversion of an audio track from CD-ROM can reduce the file size by approximately a 12:1 ratio with virtually no perceptible loss in quality. MP3 compression removes the redundant and irrelevant parts of a sound signal that the human ear doesn't hear. This digital sound encoding and compression process was developed by the Fraunhofer Institute for Integrated Circuits and Thomson Multimedia.

### **Rip and Encode**

Rip and encode refers to the process of extracting audio from a music CD (ripping) and encoding it into a compressed digital audio format like MP3 or WMA.

### Synchronize

Rio Music Manager can automatically (or manually) delete old content, transfer new audio content, and keep the content on your Rio Cali fresh and dynamic. Rio Music Manager must be open for synchronization to occur.

### Treble

Treble notes occupy the higher portion of the sound spectrum. Increasing the treble value will raise the levels of the high sounds in your music files. You can select the amount of treble in your music by selecting various Equalizer options.

## VBR

Variable Bitrate (VBR) encoding converts tracks at a variable rate, using higher bitrate encoding for complex portions and lower bitrate encoding for pauses in songs.

### WMA

Windows Media Audio (WMA) is a compressed audio format created by Microsoft as an alternative to MP3. The WMA codec offers greater file compression than the MP3 codec, enabling storage of more digital audio tracks in the same amount of space when compared to MP3s at the same level of quality.

# :: Limited Warranty and Software License

### Warranty

Digital Networks North America, Inc. warrants that your product will be free from defects in materials and workmanship for a period of ninety (90) days from the date of original retail purchase. Digital Networks North America, Inc. warrants refurbished products, marked and sold as such, for thirty (30) days from the original purchase date. This warranty is extended to the original end user purchaser only and is not assignable or transferable to any other party.

If you discover a defect covered by this warranty, Digital Networks North America, Inc. will repair or replace the product at our sole discretion using new or remanufactured product or components. Digital Networks North America, Inc.'s liability is limited solely to the repair or replacement of the defective product. If Digital Networks North America, Inc. cannot reasonably repair or replace the defective product then Digital Networks North America, Inc. may, at its sole discretion, refund the current suggested retail price for the product. Digital Networks North America, Inc. warrants any replaced or repaired product for a period of thirty (30) days from shipment, or through the end of the original warranty period, whichever is longer.

#### **Warranty Service**

To obtain service under this warranty, you must contact a Digital Networks North America, Inc. Customer Care Center within the applicable warranty period to receive a warranty service authorization. You will be required to provide a dated original proof of purchase. Products shipped to Digital Networks North America, Inc. must be shipped postage-paid and packaged appropriately for safe shipment. Digital Networks North America, Inc. is not responsible for products received without a warranty service authorization and may be rejected. Repaired or replacement products will be shipped to you at Digital Networks North America, Inc.'s expense. All products or parts that are replaced become the property of Digital Networks North America, Inc.

#### Scope of and Limitation on Warranty

This warranty does not cover damage caused by abuse, misuse, unauthorized attempts to open, modify, or repair the product, moisture, extreme heat or cold, corrosive environments, shipping, or high voltage surges from external sources such as power line, telephone line, or connected equipment. This warranty does not cover wear and tear on covers, housing or wiring. This warranty also does not apply to any product with an altered or defaced serial number. Digital Networks North America, Inc.'s liability is limited to the repair or replacement of this product. In no event will Digital Networks North America, Inc. be liable for any amount greater than the currently suggested retail price of this product. We will not be liable to you or anyone else for any damages that result from the failure of this product or from the breach of any express or implied warranties. These include damage to other equipment, lost data, lost profits, or any consequential, incidental, or punitive damages. This written warranty represents the entire warranty agreement between Digital Networks North America, Inc. and you. This warranty is given in lieu of all other warranties, express or implied, including without limitation implied warranties of merchantability and fitness for a particular purpose. This warranty is limited to the term specified above. No warranties, either express or implied, will apply after this period. This warranty may not be altered in any way other than in writing by an officer of Digital Networks North America, Inc. This warranty gives you specific legal rights and you may also have other rights, which vary, from state to state. Some states limit what warranties may be excluded as well as how long an implied warranty lasts, so the above limitation may not apply to you.

# :: FCC and Industry Canada Compliance

### Federal Communications Commission (FCC)

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1 This device may not cause harmful interference, and
- 2 This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

## **Industry Canada**

This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

## :: Safety

## Warning

TO REDUCE THE CHANCE OF SHOCK OR INJURY, DO NOT USE or OPERATE THIS DEVICE IN OR NEAR WATER OR WET LOCATIONS.

## CAUTION

RISK OF EXPLOSION, DAMAGE OR BATTERY LEAKAGE IS POSSIBLE IF BATTERY IS REPLACED INCORRECTLY OR BY AN INCORRECT TYPE. NEVER ATTEMPT TO CHARGE A NON-RECHARGEABLE ALKALINE BATTERY. DISPOSE OF USED BATTERIES ACCORDING TO INSTRUCTIONS OR LOCAL LAWS.

Use of headphones while operating a vehicle is not recommended and is unlawful in some states and areas. Be careful and attentive while driving. Stop operation of the player if you find it disruptive or distracting while operating any type of equipment. Listening to music at full power over extended periods of time can be damaging to the hearing of the user.

Contents Index

#### Symbols

+/- control 21

#### A

about 43 accessories 9 advanced features 27

#### В

backlight 38 basic operations 16 bass definition 48 battery indicator 46 installation 4 bitrate definition 48 bookmarks 35 buttons and controls 21

#### С

codec definition 48 MP3 49 WMA 49 copy tracks 17 contrast 38 controls 21 customer service information 44 **D** date view 6 display 38

#### Ε

earphones 8 encoding 17 equalizer 31

#### F

firmware 48 forward 2, 21 FM control 25 FM tuner mode 25 frequently asked questions 45

#### G

getting started 1 glossary 48

#### Н

help 44

#### Ι

ID3 tag definition 49 iTunes 15

#### L

language 40

liquid crystal display LCD 5 limited warranty 50 lock setup 42

#### **M** MP3 49

Р

#### play all 24 play/pause 2, 21 playback 30 playlists 24 power button 2 power settings 36 preset mode 26

## R

RealOne Player 13 regulatory information 52 resume 37 reverse 2, 21 Rio Music Manager 12 ripping and encoding 49

#### S

settings 29 stop 2, 21 store preset 26 stopwatch 28

#### Т

technical support 44 time 39 time code view 6 track format view 6 transferring tracks iTunes 20 RealOne Player 19 Rio Music Manager 18 treble definition 49 troubleshooting 44 tuner 41

#### U

upgrading firmware 47 usb 8

#### V

variable bitrate 49 volume +/- 2, 21

#### W

warranty 50 WMA 49



2600 San Tomas Expy. Santa Clara, CA 95051-0953, USA